



This safety data sheet complies with the requirements of: 29CFR1910.1200

Issue Date	07-Apr-2015	Revision Date	13-May-2015	Version	1
<u>Product ide</u> Product Na		Asphalt Emulsion Drive	way Sealer		
<u>Other mean</u> Product Co Synonyms	<u>s of identification</u> de	81270 None			
Recommen	ded use of the chemica	l and restrictions on use			
Recommen			rotects asphalt surfaces, fills in hairline cracks, and prov	/ides	
Uses advise	ed against	DO NOT FREEZE. For exterior use only. Do not use indoors.			
Details of th	e supplier of the safety	data sheet			
Manufacture		FBC Chemical Corp. P.O. Box 599 634 Route 228 Mars, Pennsylvania 160 (724) 625-3116	046		
Emergency	Emergency telephone number				
Company P Emergency	hone Number Telephone	724 625 3116 Call CHEMTREC Day of Within USA and Canada Outside USA and Cana	a: 1-800 424-9300		
2. HAZARDS IDENTIFICATION					

2. HAZARDS IDENTIFICATIO

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Carcinogenicity	Category 2

Label elements

Emergency Overview

Warning

Hazard statements Suspected of causing cancer



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage Store locked up

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Unknown acute toxicity

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

<u>Mixture</u> This product is a mixture. This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Common name Synonyms Chemical nature Asphalt Emulsion Driveway Sealer. None. Aqueous Mixture.

Chemical Name	CAS No.	Weight-%	Trade Secret
Water	7732-18-5	50 - 60%	*
Asphalt (at Ambient Temperature)	8052-42-4	20 - 30%	*
Limestone	1317-65-3	10 - 20%	*
Bentonite	1302-78-9	0 - 10%	*
Carbon Black	1333-86-4	0 - 10%	*

4. FIRST AID MEASURES

Description of first aid measures

General advice	Under conditions of normal use, no hazards are anticipated which require special first aid measures.
Eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical

	advice.	
Skin contact	Wash thoroughly with soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. In the case of skin irritation or allergic reactions see a physician.	
Inhalation	Not expected.	
Ingestion	Not an expected route of exposure. If swallowed, do not induce vomiting. Get medical attention immediately.	
Self-protection of the first aider	First aider: Pay attention to self-protection!.	
Most important symptoms and effects, both acute and delayed		
Symptoms	May cause skin irritation. May cause eye irritation.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical. Carbon dioxide (CO2). Sand. Use foam or water FOG as a last resort.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

No information available.

Hazardous combustion products Thermal decomposition (burning) may release irritating, corrosive and/or toxic gases, vapors and fumes.

Explosion data Sensitivity to Mechanical Impact Not sensitive. Sensitivity to Static Discharge Not sensitive.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	No action should be taken involving any personal risk or without suitable training. Use personal protective equipment as required.	
Other Information	Extremely slippery when spilled.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering sewers, drains, or waterways. Local authorities should be advised if significant spillages can not be contained. See Section 12 for additional	

Methods and material for containment and cleaning up

Methods for containment	Contain spillage with non-combustible absorbent material, e.g. sand, earth, diatomaceous earth, vermiculite.
Methods for cleaning up	Pick up the absorbed material (described just above) and transfer to properly labeled containers for disposal according to local / national regulations (see Section 13).
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing. Keep containers tightly closed in a cool, dry, well-ventilated place.

Incompatible materials

Strong acids. Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, is not believed to contain any hazardous material that exceeds exposure limits established by OSHA. .

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Asphalt (at Ambient Temperature)	TWA: 0.5 mg/m ³ benzene soluble	-	Ceiling: 5 mg/m ³ fume 15 min
8052-42-4	aerosol fume, inhalable fraction		
Limestone	-	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
1317-65-3		TWA: 5 mg/m ³ respirable fraction	TWA: 5 mg/m ³ respirable dust
		(vacated) TWA: 15 mg/m ³ total	-
		dust	
		(vacated) TWA: 5 mg/m ³ respirable	
		fraction	
Bentonite	TWA: 1 mg/m ³ respirable fraction	-	-
1302-78-9			
Carbon Black	TWA: 3 mg/m ³ inhalable fraction	TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³
1333-86-4	-	(vacated) TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
		· · · · -	TWA: 0.1 mg/m ³ Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH

Appropriate engineering controls

Engineering Controls None under normal outdoor use conditions.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear protective gloves and protective clothing that is resistant to chemical penetration.	
Respiratory protection	No protective equipment is needed under normal use conditions.	
General Hygiene Considerations	Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing before reuse.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Brown viscous liquid Brown	Odor Odor threshold	Low No information available
<u>Property</u> pH Melting point/freezing point Boiling point / boiling range Flash point	Values	Remarks • Method Not applicable No data available. Non Flammable	
Evaporation rate	°F The evaporation rate of the water component of this emulsion product is dependent upon: 1) The temperature of the water at the air-water surface; 2) The humidity of the air; 3) The area of the air-water surface; 4) The temperature of the air. No information available		
Flammability (solid, gas)	Non Flammable		
Flammability Limit in Air		Not flammable	
Upper flammability limit:	Not Applicable		
Lower flammability limit:	Not Applicable		
Vapor pressure	No information available	No data available.	
Vapor density	No information available	No information available	
Specific Gravity	1.15 g/cm3	Water = 1g/ml	
Water solubility	No information available		
Solubility in other solvents Partition coefficient	No information available No information available	No data available.	
Autoignition temperature	No information available /		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	Not an explosive		
Oxidizing properties	None		
Other Information			
Softening point	Not applicable		
Molecular weight	No information available		
VOC Content (%)	No information available		
Density Bully density	9.6 lb/gal		
Bulk density	Not applicable		
	10. STABILITY AND REAC	TIVITY	
Reactivity Not applicable	Not applicable		

Chemical stabilityStable.Possibility of Hazardous ReactionsNone under normal use.Hazardous polymerizationHazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known. <u>Incompatible materials</u> Strong acids. Strong oxidizing agents. <u>Hazardous Decomposition Products</u> Combustion may produce carbon monoxide, carbon dioxide, and other asphyxiants.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information		Toxicological testing has not been conducted for this product overall. Available toxicological data for individual ingredients are summarized below.			
Inhalation	Not an expected route of e	Not an expected route of exposure.			
Eye contact	Avoid contact with eyes. C	Avoid contact with eyes. Contact with eyes may cause irritation.			
Skin contact	May cause irritation.				
Ingestion	If swallowed, do not induct route of exposure.	If swallowed, do not induce vomiting. Get medical attention immediately. Not an expected route of exposure.			
Component Information	as 'Group 2B, Possible Ca exposure to Asphalt fumes temperature plays an impo- carcinogenic potential of b non-volatile at ambient ten demonstrate that Asphalt a normal use of this product listed as a carcinogen. No carcinogen. * The IARC Monograph (V "Operators in user industri and ink production are exp workers in Carbon Black p occasionally have little opp (rubber, ink or paint) are u are bound within the production	 * The IARC Monograph (Vol. 103, 2013, Bitumen and Bitumen Emissions) defines Asphalt as 'Group 2B, Possible Carcinogen to Humans'. This definition is based on studies of exposure to Asphalt fumes at elevated temperatures. The Monograph states that temperature plays an important role in determining the degree of exposure and also the carcinogenic potential of bitumen emissions. This same Monograph states that Asphalt is non-volatile at ambient temperature. There is no data presented in the Monograph to demonstrate that Asphalt at ambient temperature is considered a carcinogen. Since the normal use of this product is at ambient temperature, the Asphalt used in this product is not listed as a carcinogen. No other national or international agency has defined Asphalt as a carcinogen. * The IARC Monograph (Vol 93, 2010, Carbon Black, Titanium Dioxide, Talc) states: "Operators in user industries who handle fluffy or pelleted Carbon Black during rubber, paint and ink production are expected to have significantly lower exposures to Carbon Black than workers in Carbon Black production. Other workers in user industries who handle it occasionally have little opportunity for exposure. And further "End-users of these products (rubber, ink or paint) are unlikely to be exposed to airborne Carbon Black particles, which 			
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50		
Asphalt (at Ambient Temperature) 8052-42-4	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-		
Bentonite 1302-78-9	> 5000 mg/kg (Rat)	-	-		
Carbon Black	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-		

Information on toxicological effects

Symptoms

1333-86-4

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Can cause skin irritation.
Serious eye damage/eye irritation	Irritating to eyes.
Irritation	Irritating to eyes and skin.
Corrosivity	Not classified.
Sensitization	May cause sensitization of susceptible persons.
Germ cell mutagenicity	This product does not contain any ingredients that cause germ cell mutagenicity.
Carcinogenicity	The table below indicates whether each agency (ACGIH, IARC, NTP, or OSHA) has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	NTP	OSHA	Carbon Black 1333-86-4
A3	-	Х		
Legend				
ACGIH (American Conference	of Governmental Ind	ustrial Hygienists)		
A1 - Known Human Carcinogen				
A2 - Suspected Human Carcinog	ien			
A3 - Animal Carcinogen				
A4 - Not Classifiable as a Humar				
IARC (International Agency for		r)		
Group 1 - Carcinogenic to Huma				
Group 2A - Probably Carcinogen				
Group 2B - Possibly Carcinogeni				
Group 3 - Not classifiable as a hu				
NTP (National Toxicology Prog	ram)			
Known - Known Carcinogen Reasonably Anticipated - Reasor	ably Anticipated to be	a Human Carainagan		
OSHA (Occupational Safety an			of Labor)	
X - Present		ion of the 05 Department of		
Reproductive toxicity	None known.			
Developmental Toxicity	None known.			
Teratogenicity	None known.			
STOT - single exposure	No informatio	n available.		
STOT - repeated exposure	No informatio	n available.		
Aspiration hazard	No informatio			

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document For exterior use only. Do not use indoors.

ATEmix (oral)	27,674.00
ATEmix (dermal)	13,830.00

12. ECOLOGICAL INFORMATION

Ecotoxicity

25.5% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Bentonite	-	19000: 96 h Oncorhynchus mykiss	-
1302-78-9		mg/L LC50 static 8.0 - 19.0: 96 h	
		Salmo gairdneri g/L LC50	
Carbon Black	-	-	5600: 24 h Daphnia magna mg/L
1333-86-4			ÉC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient	
Asphalt (at Ambient Temperature)	6	
8052-42-4		

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable local, regional, national and international

laws and regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

Note:	This material is not subject to regulation as a hazardous material for shipping
DOT	Not regulated.
TDG	Not regulated.
MEX	Not regulated.
ICAO (air)	Not regulated.
IATA	Not regulated.
IMDG	Not regulated.
RID	Not regulated. European requirement only. Not applicable in the Unites States.
ADR_	Not regulated. European requirement only. Not applicable in the Unites States.
ADN_	Not regulated. European requirement only. Not applicable in Unites States.

15. REGULATORY INFORMATION

International Inventories

 TSCA
 All of the components of this product are listed on the US TSCA (Toxic Substances Control Act) Inventory or are exempt.

 DSL/NDSL
 All of the components of this product are listed on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 3	<u>311/312</u>	Hazard	Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40

CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65			
Carbon Black - 1333-86-4	Carcinogen			

U.S. State Right-to-Know Regulations

This product contains the following substances regulated by various State Right-to-Know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Asphalt (at Ambient Temperature)	Х	Х	Х
8052-42-4			
Limestone	Х	Х	Х
1317-65-3			
Carbon Black	Х	Х	Х
1333-86-4			
LLO EDAL als al lufa una attau			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards	1	Flammability	0	Instability 0	Physical and Chemical
HMIS	Health hazards	1	Flammability	0	Physical hazards 0	Properties - Personal protection -
Prepared By	FBC A	Admini	strative Service	s Depa	artment	
Issue Date	07-Ap	or-2015	5	•		
Revision Date	13-Ma	ay-201	5			
Revision Note		-				
SDS sections updated						

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet